

PRODUCT GUIDE

1. ANTIBACTERIALS

1.1 AMINOGLYCOSIDES

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
08082	BIOSOL 70% 83/727 S4	Neomycin sulphate 490 g/kg	Bacterial enteritis	Day 1 - 2 wks: 10 g/360 litre water; 3 - 5 wks: 30 g/360 litre water; 6 - 8 wks: 40 g/360 litre water; 9 wks +: 50 g/360 litre water. Seek veterinary advice.	Layers/Breeders: 14 days; Broilers: 5 days	1 kg

1.2 CEPHALOSPORINS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
17007	EXCENEL 89/21.1/1 S4	Ceftiofur sodium 50 mg/ml	Gram + and Gram -	Seek veterinary advice / Reconstitute by adding 20ml sterile water for injection		1 g
17004	EXCENEL 89/21.1/1 S4	Ceftiofur sodium 50 mg/ml	Bacteria sensitive to cephalosporin	Seek veterinary advice / Reconstitute by adding 80ml sterile water for injection		4 g

1.3 MACROLIDES AND LINCOMYCIN

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
08256	AIVLOSIN G1598	Acetyl-isovaleryl-tylosin tartrate 850mg/g	Mycoplasmosis in broilers and replacement pullets.	Preventative 25 g /200 l water Therapeutic 25 g / 100 l water for 3 days	Not for laying hens where eggs are used for human consumption	25 g
00151 00098	SUANOVIL 50 G1897	Spiramycin 1,5 million iu/g	Mycoplasmosis	0,4 - 0,8 g/litre water for 2-5 days	Meat 10 days Eggs 3 days	100 g 1 kg
08140	TYLOVETo S G3344	Tylosin Tartrate	Mycoplasmosis in broilers and replacement pullets.	100g / 200 litre water	Meat 3 days	100 G
08141	TYLOVETo S G3344	Tylosin Tartrate	Mycoplasmosis in broilers and replacement pullets.	100 g / 200 litre water	Meat 3 days	1 kg
09610	PULMOTIL AC SOLUTION 99/21. 1/11 S4	Tilmicosin 200g / 1kg	Respiratory infections associated with Mycoplasma gallisepticum, M. Synoviae and other tilmicosin sensitive orgasims.	30ml / 100 litre water Seek veterinary advice	Meat: 12 days	240ml

PRODUCT GUIDE

1.4 PENICILLINS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
08096	AVIMOX 10 92/21.1/3 S4	Amoxicillin Trihydrate 10%	Gram + Gram- bacteria sensitive to amoxicillin	250 mg / kg bm (1 kg / 4000 kg bm). Seek veterinary advice.	Meat and eggs 1 day	1 kg

1.5 QUINOLONES

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
18326 08000	BAYTRIL C87/21.9/6 S4	Enrofloxacin 10%	Colibacillosis Infect Coryza Salmonellosis Mycoplasmosis	1 ml / 10 kg bm in a 6-8 hour drinking water. Seek veterinary advice	Meat 7 Days Eggs 7 days	100 ml 500 ml
08154 08151	QUINABIC 93/21.9/4 S4	Norfloxacin Nicotinate 1000 mg/g	Gram- and Gram + bacteria and Mycoplasma	20 mg / kg bm (1g / 50 kg) in 3 hour water supply for 3-5 days. Seek veterinary advice	Meat 4 days. Not for layers	50 g 200 g

1.6 POLYPEPTIDES

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
08020	COLISTINE 1200 83/289 S4	Colistin sulphate 1200 000 iu/g	GI infections cystitis, nephritis, pneumonia, bronchitis	100g / 200 litre water for 3 - 5 days Seek veterinary advice	1 Day	1 kg

1.7 SULPHONAMIDES AND POTENTIATORS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
08022 08025 08023 08024	COLIPRIM G1642	S/chlorpyridazine 100mg Trimethaprim 20 mg/ml	Treatment of primary & secondary Gram+- infect	1ml /l water for 5 days	Reduction in egg prod. Meat 5 days. Not for commercial layers	200 ml 1 litre 5 litre 120 litre
08181 08182 08187 08202	COSUMIX PLUS POWDER G2036	S/chlorpyridazine 10g Trimethaprim 2g/100g	Treatment of primary & secondary Gram+- infect	200 mg / kg bm / day	Meat 1 day Eggs 3 days	20 g 200 g 1 kg 20 kg

PRODUCT GUIDE

Continued...

1.7 SULPHONAMIDES AND POTENTIATORS Continued...

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
09140	TRIMETO-TAD INJ. 83/624 S4	Trimethoprim 40mg Sulphathiazole 40mg Sulphadiazine 60mg Sulphamerazine 100mg Lignocaine HCl 1mg / 1ml	respiratory enteritis	Seek veterinary advice	Meat: 8 days	100ml
05028 08234	TRIPLE SULPHA POWDER G275	S/methazine 27.2g S/merazine 27.2 g S/thiazole 29.85 g/100g + vits & elec	Coccidiosis and Infectious Coryza	1g / 2l water	May cause drop in egg production. Eggs 3 days Meat 7 days	10 kg 10 x 100g

1.8 TETRACYCLINES

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00459	DOXYVETo-50 S	Doxycycline	Bacteria sensitive to tetracyclines	300 mg/1000 litres drinking water for 3-5 consecutive days	Meat 12 days	100g
00460	DOXYVETo-50 S	Doxycycline	Bacteria sensitive to tetracyclines	300 mg/1000 litres drinking water for 3-5 consecutive days	Meat 12 days	1 kg
01104	OXYTETRA LA INJ G1157	Oxytetracycline (as HCl) 200 mg/ml	Bacteria sensitive to tetracyclines	Seek Veterinary advice		100ml
08090 08091 08092 08093	PHENIX OXYPHEN 20% POWDER G1382	Oxytetracycline base 20%	Bacteria sensitive to tetracyclines	100g/200 litre water for 3-5 consecutive days	Meat 14 days. Eggs 4 days	100 g 500 g 5 kg 20 kg
08110	PHENIX OXYVIT 5% POWDER G1166	Oxytetracycline base 5% m/m plus vitamins	Bacteria sensitive to tetracyclines	100g/ 30-40 litre water for 3-5 consecutive days	Meat 14 days Eggs 4 days	100 g
08253	TFC POWDER G2402	Tetracycline Phosphate Complex	Bacteria sensitive to tetracyclines	1g/10 kg bm for 3-5 days	Meat / Eggs 7 days	10 x 1kg
08118 08121	TERRAMYCIN LA G333	Oxytetracycline	Bacteria sensitive to tetracyclines	200mg/ml		100ml 500ml

1.9 PHOSPHONIC ACIDS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
------	------------	-------------------	------------	--------------------------------	------------------------------	------

PRODUCT GUIDE

08225	FOSBAC POWDER	Fosfomycin 25% plus fructose	Gram + and Gram - Bacteria	160g /1000kg bm for 3-5 days in enough water for 1 day	Meat: 2 Days	1 kg
08229	G2067					100g

1.10 ANTIBACTERIAL COMBINATIONS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
08266 08265	FOSBAC + T POWDER G2810	Fosfomycin 20% Tylosin 5% plus fructose	Gram + and Gram - Bacteria & Mycoplasma	160 g /1000 kg bm for 3-5 days in enough water for 1 day	Meat: 7 days	1 kg 100g
08272	TRI-ALPLUCINE POWDER 83/633 S4	Josamycin 18 million 14 Trimethoprim 10g Monopotassium phosphate 25g citric acid 37.5g lactose 9.5g / 100g	Prevention and treatment of Mycoplasmosis, complicated CRD susceptible infections.	Chickens under 10 days old 100g / 500 litres water for 3 - 5 days. Breeding adult birds 100g / 200 litres water for 3 - 5 days Seek veterinary advice	Meat: 5 days Eggs: 10 days	1kg
91687	LINCO-SPECTIN POWDER 83/740 S4	Lincomycin 33g Spectinomycin 66,7g	Bacteria sensitive to lincomycin/ spectinomycin	150 mg/kg bm /day Seek veterinary advice	Do not administer to laying hens. Meat 2 days	150 g

2. ANTICOCCIDIALS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00021	AMPROL 20% G771 Powder	Amprolium 20% m/m	Coccidiosis	30 g/50 litre water for 3-5 days (mild symptoms) 30 g/25 litre water for 3-5 days (severe symptoms)	C/I Thiamine deficiency diet	30 g
18303 08010 08011	BAYCOX G979 Liquid	Toltrazuril 2,5% m/v	Coccidiosis	1 ml/l water for 2 days	Meat 7 days	200 ml 1 litre 25 litre
08183 00037 00034	ESB 3 G1305 Powder	Sulphachloropyrazine Sodium 300 g/kg	Coccidiosis and Infectious Coryza	1g/litre water for 3 days	Meat 7 days Eggs 3 days	20g 250g 10kg

3. ANTHELMINTHICS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
11890 11891	ASKARITOX G380 Powder	Piperazine dihydrochloride 64,5% m/m	Ascarids	In water dose - Seek Veterinary Advice In feed dose 1kg/300kg feed	Meat 7 days	200 g 1 kg

PRODUCT GUIDE

11372	PANACUR 4% BS	Fenbendazole 50 mg/ml	Roundworms	Seek Veterinary Advice		1 litre
11371	G1481					5 litre
01115	Liquid					10 litre

Continued...

3. ANTHELMINTHICS Continued...

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
08083	ECOMINTIC 50	Fenbendazole 5% m/v	Roundworms	Seek Veterinary Advice		1 litre
08084	G 2000					5 litre
08085						10 litre
08261	PIPERAZINE G1931	Piperazine adipate 100% m/m	Ascarids	Seek Veterinary Advice		1 kg
	Powder					
00150	RIPERCOL - L G445	Levamisole HCl 99% m/m	Roundworms	Seek Veterinary Advice		10 x 154 g
	Powder					
00068	TRAMISOL	Levamisole HCl 2.5% m/v	Roundworms	Seek Veterinary Advice		1 litre
00052	G805					5 litre
01119	Liquid					10 litre

4. DETERGENTS AND DISINFECTANTS**4.1 DETERGENTS AND SOAPS - GENERAL**

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00346	SANIGEL	Alcohol based sanitiser	Antibacterial handsanitizer	Use undiluted with warm water		25 litre
	Liquid					
00248	VET HAND	Detergents, Surfactants plus antimicrobial compound	Antibacterial handsoap	Use undiluted on hand		1 litre
00127	Liquid					5 litre
00079						25 litre
00249	VET ONE	Blend of Alkaline Salts, Surfactants Solvents and water softeners	General purpose detergent for poultry houses and hatcheries	1: 100 with water.		1 litre
00129	Liquid					5 litre
00007						25 litre
00009						100 litre
00128	VET SOLVE	Blend of Alkaline Salts surfactants and solvents	Heavy duty degreasing of hatcheries, abbatoirs etc	1:100 for regular cleaning to 1:50 for heavily soiled areas		1 litre
00131	Liquid					5 litre
00080						25 litre
00081						100 litre

PRODUCT GUIDE

4.2 DETERGENTS / DISINFECTANT COMBINATIONS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00215 00192 00191 00193	VET ONE PLUS Liquid	Blend of Alkaline Salt, Surfactants and Quaternary Ammonium	For cleaning and disinfection of poultry houses & hatcheries	1:1000 litres water by high pressure washer		1 litre 5 litre 25 litre 100 litre
09172 09173 09174 09176	SANIWASH Liquid	Glutaraldehyde 70g / litre	For cleaning and disinfection of poultry houses & hatcheries	1:1000 litres water for general washing. Apply 1litre/ sq m area 1:100 litres water for disinfecting 1:50 litres water for foot baths		5 litre 10 litre 25 litre 1 litre

4.3 DISINFECTANTS GENERAL

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00194 00130 00084 00122	VET GL 20 Liquid	A blend of glutaraldehyde and surfactants	For disinfection of poultry houses.	1:100 litre water for general disinfection Apply 300 ml / sq m 1:50 litre water for foaming Apply 150 ml / sq m using foaming lance		1 litre 5 litre 25 litre 100 litre
00247 00399 00218 00231	VET SUPER Liquid	A blend of glutaraldehyde and twin chain QACs	For disinfection of poultry equipment and hatcheries.	1:50 litre water for general disinfection		1 litre 5 litre 25 litre 100 litre
00246 00243 00232 00233	VET ULTRACIDE Liquid	A 20% blend of aldehydes and twin chain QAC	For disinfection of poultry equipment and hatcheries.	1:200 litre water for spraying on surfaces. Apply 300ml/sq m 1:100 litre water for foaming. Apply 150ml/sq m using foaming lance		1 litre 5 litre 25 litre 100 litre
04000 04001 04002 04004	VIRUKILL Liquid	A modified QAC	Multi purpose disinfectant . In line disinfectant. Spray disinfectant.	1:100 litre water when applied as surface disinfectant or spray disinfectant. 1:10 000 litres water for in line disinfection		1 litre 5 litre 10 litre 20 litre

PRODUCT GUIDE

4.4 DISINFECTANTS FOR SPECIAL PURPOSES

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
09149 09148	AQUA CLEAN Liquid	Hydrogen Peroxide and Silver salts	Removal of Biofilm on inside of water pipes & header tanks	100-500ml /1000 litre water when house is occupied. 1 - 3% solution when house is empty.	Do not include simultaneously with vaccine in the water.	1 litre 10 litre
08977 08976	CHEMATRON BRIQUETTES Tablets	Halogenated hydantoin biocide with Cl and Br	In-line disinfection via the header tank or Bell drinkers	1kg / 10000 broilers per cycle (Header Tank) 1 tablet per Bell drinker / 45 days	Remove tablets 2 days prior to vaccination via water	45 Tabs 23 kg
08203	CLINAFARM SMOKE GENERATOR Canister	Enilconazole	For aerial use in hatcheries to prevent Aspergillosis.	1 canister per 50 cubic metres		10 x 33,4 g
00017 08199	CLINAFARM LIQUID Liquid	Enilconazole	For surface use in hatcheries to prevent Aspergillosis.	1ml / litre water = 0.15% 10 litre / 750m ² - Spray Vaporize - 10 litre/ 3000 m ²		4 X100 ml 1 litre
00387 00386	MAGISTRAL PF Powder	Thiabendazole	Controls moulds & fungi in poultry houses & feed bins	0,35g - 3,5 g per cubic meter depending on mould and fungi levels. Treatment should be performed every 10-15 days		500 g 1 kg
00667	MAGISTRAL PF Candles	Thiabendazole	Controls moulds & fungi in poultry houses & feed bins	0.35-1g per cubic meter depending on mould & fungi levels. Empty breeding facilities.		10 x 30g
00396 00395	NEOPREDISAN 135-1 Liquid	25g p-chlor-m-kresol /100g	Controls cocci & worm eggs & Cryptosporidia and Clostridia	2% for worm eggs (2 hours) 3% for cocci eggs (4 hours) 3% cryptosporidia sp (1 hour) 4% clostridia sp (1 hour)		2 litre 10 litre
09146	OXINE W/T + ACTIVATOR	Chlorine dioxide based in line disinfectant		Slowly mix 100 parts water 10 parts oxine and 1 part activator. Dilute further down to required solution.		5 litre
09147	OXINE W/T + ACTIVATOR	Chlorine dioxide based in line disinfectant		Slowly mix 100 parts water 10 parts oxine and 1 part activator. Dilute further down to required solution.		25 litre

PRODUCT GUIDE

00327 00125 00177 00219	VET FLUID Liquid	Concentrated Phenol based disinfectant	Disinfection of earth floors external areas and foot baths	1 l / 200 litre water for foot baths external areas and earth floors		1 litre 5 litre 25 litre 100 litre
00279 00133 00030	VET SCALE Liquid	Concentrated acidic descaling agent	Removal of oxides, heat & mineral deposits on drinkers	1 l / 10 litre water for Bell drinkers 1 l / 10 -50 litre water for drinking system, depending on severity of scale build-up		1 litre 5 litre 25 litre

4.5 DISINFECTANTS USING PARAFORMALDEHYDE

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00136	NEST TABS Tablets	Paraformaldehyde based tablets	For use in nest boxes to reduce pathogen load on eggs	1 Tablet per nest box per month		17 kg
00148	POTASSIUM PERMANGANATE Crystals	Potassium Permanganate	Mixing with formalin to obtain paraformaldehyde gas	Building up to 330m ³ capacity use: 20ml Vet Fume B + 14g Vet Fume A per m ³ buildings over 330 m ³ capacity use: 10ml Vet Fume B + 7g Vet Fume A per m ³	Take note of safety requirements when fumigating.	50 kg
00008	PARAFORM-ALDEHYDE PRILLS	Paraformaldehyde crystals	Heating of crystals releases paraformaldehyde gas	Buildings up to 330 m ³ capacity use: 360g Vet Fume C per 100 m ³ Buildings over 330 m ³ capacity use: 180g Vet Fume C per 100 m ³	Take note of safety requirements when fumigating.	25 kg
00025	VET FUME A Crystals	Potassium Permanganate	Mixing with formalin to obtain paraformaldehyde gas	Building up to 330m ³ capacity use: 20ml Vet Fume B + 14g Vet Fume A per m ³ Buildings over 330 m ³ capacity use: 10ml Vet Fume B + 7g Vet Fume A per m ³	Take note of safety requirements when fumigating.	25kg
00241 00242 00020 00029	VET FUME B Liquid	Formalin liquid	Mixing with Pott Permanganate - paraformaldehyde gas	Building up to 330m ³ capacity use: 20ml Vet Fume B + 14g Vet Fume A per m ³ Buildings over 330 m ³ capacity use: 10ml Vet Fume B + 7g Vet Fume A per m ³	Take note of safety requirements when fumigating.	1 litre 5 litre 25 litre 100 litre
00027	VET FUME C Crystals	Paraformaldehyde crystals	Heating of crystals releases paraformaldehyde gas	Buildings up to 330 m ³ capacity use: 360g Vet Fume C per 100 m ³ Buildings over 330 m ³ capacity use: 180g Vet Fume C per 100 m ³	Take note of safety requirements when fumigating.	18 kg

5. ECTOPARASITES / ENVIROMENTAL HEALTH

5.1 ECTOPARASITICIDES

PRODUCT GUIDE

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
11394 11395	BAYTICOL G489 Liquid	Flumethrin 2% v/v	A spot treatment or generalised body spray for mite control.	10ml/4 litre water preferably sprayed to the cloacal area.		1 litre 5 litre
11396 11390	DRASTIC DEADLINE G723 Liquid	Flumethrin 1% v/v	Control of tick	Consult your veterinarian		20 litre 1 litre
00416 08066	PARASITE X	Borax 4.9g / litre	Control of northern fowl mites	Spray with 4% solution repeat if necessary with 2% solution.		10 litre 20 litre

5.2 ENVIROMENTAL HEALTH

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
17003	BAYTHROID L2198 Powder	Cyfluthrin 100mg/g	Enviromental spray for long lasting control of insects	40g/ 10 litre water / 100 sq metres		20 g
09170	KARBADUST G196	Carbaryl	Enviromental treatment of insects	Seek veterinarian advice		25 kg
12028	LITACK	Alphacypermethrin 100g / litre	Litter Beetle control	2.5 - 50ml / 10 litre water		1 litre
11399 11398	RESPONSAR EW L3174 Liquid	Cyfluthrin 50g/litre	Control of subterranean termites	145ml/ 100 litres water		200 ml 500 ml
17062	STARYCIDE L5256 Liquid	Triflumuron 480g/litre	Inhibition of succesful completion of insect life cycle	10ml/ 10 litres water / 10 sq m		250 ml
11389	SEVIN	Carbaryl	Enviromental treatment of insects	Seek veterinarian advice		25kg
17064	TEMPO SC L4544	Betacyfluthrin 125g/ litre	Long term control of insects	20-40ml /10 litre water and 50ml solution / sq m		200 ml

5.3 FLY CONTROL

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00703	AGITA SCATTERBAIT L7180	Thiamethoxam	Dry bait for the control of adult flies	Scatter lightly using 200g per 100 m2 of ground surface on areas frequented by flies		400 g

PRODUCT GUIDE

00700	AGITA L6670	Thiamethoxam	A water dispersable paint-on or spray-on residual action stomach and contact with sex attractant for the control of flies	Paint-on: 50g per 40ml luke warm water Spray-on: 50g per 400ml luke warm water		50 g
00702	ICON L4832	Lambda-cyhalothrin (pyrethroid)	A broad spectrum wtable powder insecticide for the control of flies, cockroaches, bedbugs, mosquitoes	Spray dilution on exposed areas as directed		500 g

Continued...

5.3 FLY CONTROL Continued...

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00453	KILLEM SUPER L4578	Methomyl	An attractive fly bait for the control of houseflies in and around animal housing, refuse tips, manure heaps and food handling plants	Can be used as dry bait, scatter bait, stick-on or liquid paint on bait		500 g 6 x 2kg
11385	D.B.M. DOUBLE STRENGTH L4576	Bromchlorphos 960g/l	For control of adult flies, cockroaches, bedbugs and mosquitoes	Dilute as directed and use on exposed areas		100 ml

5.4 RODENT CONTROL

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00697	KLERAT WAX BLOCKS L4251	Anticoagulant Brodifacoum	Control of rodents by block baiting	Bait all areas wher rodents move, live and feed		10 kg
17060	RACUMIN BAIT	Coumatetralyl 0,375g/kg	Control of rodents by powder baiting	Bait rodent pathways and access routes		250 g
17061	Crumbs L597					500 g
11571	RACUMIN BLOCKS	Coumatetralyl 0,375g/kg	Control of rodents by block baiting	Bait rodent pathways and access routes		2 x 240 g
11574	L4284					10 kg

PRODUCT GUIDE

11528	RACUMIN LIQUID L2799	Coumatetralyl 0,375g/kg	Control of rodents by liquid baiting	Bait rodent pathways and access routes. Very effective during periods when access to water is limited eg. Downtime	500 ml
11523 11524	RACUMIN PASTE L6401	Coumatetralyl 0,375g/kg	Control of rodents by paste baiting	Highly palatable formulation with a single kill	200 g 5 kg
11529	RACUMIN TRACKING POWDER L2800	Coumatetralyl 7.5 g/kg	Control of rodents by powder baiting	Bait rodent pathways and access routes. Mix with peanut butter or vaseline and smear on to rodent pathways eg. Roof-beams etc	2,5 kg
00153	RACUMIN LIQUID POISON DISPENSER		Container liquid formulation presentation	Bait rodent pathways and access routes. Very effective during periods when access to water is limited eg. Downtime	Single

6.0 HEALTH PROMOTIONAL PRODUCTS**6.1 HOMEOPATHIC ALTERNATIVE MEDICATIONS**

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00404	ATELI V15497	Carbonic algal lime, algal meal & yeast	Supplementary animal food	1kg per 1 000kg feed		25kg
10376	KLIMA REIN	Herbs & Organic acids	Air cleaner	Dilute with warm water 1:10 pour in fogger. Fog 1 litre end mixture per 100 m ³ . Apply for 1st time at end of 1st week when birds are in, thereafter twice a week		10 litre
00406	RESISTONE COMPLEX V15463	Herbal extracts	Poor appetite, condition problems	Via drink water for 4 successive days		1 litre
91652	STOCKHOLM TAR	Tar	Cannibalism and feather peaking			500ml

6.2 LIVER PROTECTANTS AND LIPOTROPICS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
08238	BEDGEN 40 V13071 Liquid	Cyanara extract 15g Cholinechloride 70%, Anti-toxic hepatic factor 2g	Supportive therapy for liver damage	Treatment 2ml/ litre water for 2-5 days Prevention: 1ml/ litre water for 2-5 days	0 days	1 litre

PRODUCT GUIDE

08260	BEDGEN 40 V13127 Premix	Cyanara extract 15g Cholinechloride 70%, Anti-toxic hepatic factor 2g	Supportive therapy for liver damage	100 - 500g per ton of feed	0 days	50 x 1 kg
-------	--------------------------------------	--	-------------------------------------	----------------------------	--------	-----------

6.3 WATER SOLUBLE VITAMINS/MINERALS/ELECTROLYTES AND AMINO ACIDS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
70000 70001 08046	IMMUNO-STRESS Powder	Water soluble vitamin and electrolyte supplement for poultry	Aid for the improvement of immune response during periods of vaccination and disease challenges	100g per 200 litres of drinking water for two days pre and two day post vaccination	0 days	100 g 10x100 g 100x100 g
09605	VMD - AMINOVIT V15631 Soluble Powder	Well -balanced combination of essential vitamins and amino-acids	Stress conditions, improper feed, poor condition	50 - 100g per 100l of drinking water for 4 to 8 consecutive days. The drinking water should be used in 24 hours	0 days	100 g

Continued...

6.3 WATER SOLUBLE VITAMINS/MINERALS/ELECTROLYTES AND AMINO ACIDS Continued...

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
05071	VMD - OLIGOVIT PLUS V15630 Soluble Powder	Vitamins, Minerals and electrolytes	Prevention or treatment of vitamin and oligo-element deficiencies in farm animals	1kg per 1000l - 2000l of drinking water. The drinking water should be used in 24 hours	0 days	100 g
01180 01181 01182	CARNI-MAG-C	Natural blend of beneficial food acids with Carnitine, Magnesium and Vitamin C	Beneficial for Poultry and Swine during times of severe stress like continuakl heat	1lt per 1000lt of fresh drinking water	0 days	25 lt 5lt 1lt
05020 08200 08201	STRESSPAC V10025 Powder	Vitamins, Minerals and electrolytes. High levels of Vit C and E	Aid in treatment and prevention of stress related problems	1g / litre water for 3 - 5 days continuously	0 days	100 g 10x100 g 100x100 g
00394	MDB MULTIVIT V12690 Effervescent Tablets	Vitamin supplement	Helps to overcome vitamin deficiencies. Supports the animal during periods of stress	1 Tablet / 50 litre drinking water	0 days	150 x 5g
14002 14019	ASCORBIC ACID	Ascorbic acid	Vitamin C Supplement for aid in reduction of heat stress	150g / 2000 litre water for duration of stress period	0 days	1kg 25kg

PRODUCT GUIDE

70003	BREEDER BOOSTER	High levels of soluble Amino acids and Vitamins	Specially suited to breeder nutrient requirements	1g / litre water for 3 - 5 days continuously	0 days	100 g 100x100 g 1kg
70002	Powder					
70006	V12458					

7.0 PROBIOTICS AND COMPETITIVE EXCLUSION PRODUCTS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
09600	AVIGUARD	Gut flora isolated from healthy SPF hens	For promotion of healthy gut flora.	1 dose per bird. Spray or drinking water	0 days	2000 doses 5000 doses 10 000 doses
09601	Powder					
09602	G2383					
10037	PROTEXIN	A combination of live and heat resistant beneficial bacteria	For promotion of healthy gut flora.	Broilers 5 g per litre water per day Other birds 10 g per litre per day	0 days	250 g 500 g 1 kg
10038	Powder					
10039	G1265					

8.0 SUPPLEMENTARY PRODUCTS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
11845	MENTOFIN	Ethereal oils, mentha and eucalyptus.	Symptomatic relief of nasal and breathing problems	For SPRAY : 250ml / 10 l water for young birds 500ml / 10 l water for older birds (>3 weeks) For WATER : 250ml / 1000 l water		1 litre 5 litre 10 litre 25 litre
11844	Liquid					
11847						
08101						
00184	AVI NUTRIGEL	Vitamins and electrolytes presented in a gel formulation	For administration in hatchery as a re-hydrant for chicks	50g mixed with 1 litre water and dosed at 1ml/ chick	0 days	1 kg 5 kg
00182	Jelly V12749					
11766	PURIFIED WATER	Obtained via the process of Reverse Osmosis	To mixing with vaccines for spray application.	Mix 800ml / 1000ds knapsack sprayer Mix 400ml / 1000ds Turbair / Atomist machine		1 litre 5 litre 25 litre
11323						
11765						
00432	SKIM MILK POWDER		For administration to water to inactivate chlorine	Mix 2g / litre water allowed for 30min deactivation of chlorine in water		10 x 100 g 500 g 25 kg
00433						
00334						
05073	CEVAMUNE TABLETS		Chlorine neutralization and blue coloured vaccine solution for birds	1 tablet per 100 litre water		1 Tablet

PRODUCT GUIDE

08990	HI-LITE TABLETS		For colouration of water as an aid in analysing vaccine distribution	1 tablet per 50 litre water		50 tablets
-------	------------------------	--	--	-----------------------------	--	------------

9.0 EQUIPMENT FOR USE IN POULTRY FARMS.**9.1 EQUIPMENT USED FOR SPECIAL PURPOSES**

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
11659 11660	ASPIRATOR KITS	Without needles With needles	For use during vaccination of injectable emulsions			Single
00055	BOOTS PLASTIC		Safety foot wear			Pair.
08211	BLEEDING TUBES		Sera Sampling			Single
01070	CARTRIDGES VS/ST STERILIZED		Conjunction with pullet injection vaccine applicators			Single
08224	DEBEAKER BLADES		For debeaking			Single

Continued...

9.1 EQUIPMENT USED FOR SPECIAL PURPOSES Continued...

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00164	DOSATRON D 8 R		Proportional medicator	Injection rate 0.2% - 2% Waterflow rate 500lt/h - 8 m ³ / h		Single
01127	DOSATRON D25-RE2		Proportional medicator	Injection rate 0.2% - 2% Waterflow rate 10lt/h - 2.5 m ³ / h		Single
00508	DOSATRON D25-RE5		Proportional medicator	Injection rate 1% - 5% Waterflow rate 10lt/h - 2.5 m ³ / h		Single
01016	DOSATRON DI 150		Proportional medicator	Injection rate 1% - 5% Waterflow rate 10lt/h - 2.5 m ³ / h		Single
01037	DOSATRON DI 210		Proportional medicator	Injection rate 2% - 10% Waterflow rate 10lt/h - 2.5 m ³ / h		Single
17107	FACE MASKS DISPOSABLE PAPER		Protection when administering harmful substances			20's

PRODUCT GUIDE

91556 91553 91552	LATEX EXAMINATION GLOVES					Small / box Medium / box Large / box
90313 90317	POST MORTEM SCISSORS		For post mortems			Curved 14cm Straight 14cm
90320 90318	SURGICAL SCISSORS		For post mortems			Curved 14cm Straight 14cm
01040 01041	SALTER SCALES		Hanging scale			5kg 25kg
04008	SCALES		Chicks weighing scale			0 - 250g
00005	TRIJET FOGGER MODEL 6208		For fogging of disinfectant in hatcheries and poultry houses.			Single

9.2 THERMOMETERS / HYGROMETERS

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
00030	TEMPERATURE/ HUMIDITY RECORDER		Measurement of temp. & humidity in poultry houses & hatcheries			Single
70113	HOBO RH/TEMP 2 CHANNEL		Logging of temp and humidity data			Single
70014	HOBO TEMP INTERNAL 1 CHANNEL		Logging of temp data			Single

Continued...

9.2 THERMOMETERS / HYGROMETERS Continued...

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
70115	HOBO TEMP/HUMIDITY RECORDER CABLE & SOFTWARE		To load Hobo software			Single
18141	MINIMUM / MAXIMUM THERMOMETER		Measurement of min and max temps. In poultry houses			Single
00280	WET & DRY THERMOMETERS		Measurement of percentage humidity			Single
18130	SKYMATE WINDSPEEDMETER		Measurement of windspeed, temperature and humidity			Single

PRODUCT GUIDE

00600	MINITEMP MT-FS WITH POUCH		Laser Beam thermometer			Single
-------	----------------------------------	--	------------------------	--	--	--------

9.3 VACCINATION EQUIPMENT**9.3.1 AUTOMATIC VACCINATORS FOR INJECTION**

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
11669	AVIJECTOR MK25		i/m and s/c injection of vaccines	Injecting 0.25, 0,5 and 1,0 ml		Single
00012	MINIJECTOR MK1		i/m and s/c injection of vaccines	Injecting fixed dose of 0,1 ml		Single
1014	MINIJECTOR MK2		i/m and s/c injection of vaccines	Injecting fixed dose of 0,2 ml		Single
11667	MINIJECTOR MK1 SPARE KIT		Repairs of Minijector MK1			Single
00002	MINIJECTOR MK2 SPARE KIT		Repairs of Minijector MK2			Single
11664	OVIJECTOR MK1		i/m and s/c injection of vaccines	Injecting 0.1 to 1,0 ml in increments of 0,1 ml		Single
11670	OVIJECTOR MK3		i/m and s/c injection of vaccines	Injecting 0.5 to 2,0 ml		Single
11672	OVIJECTOR MK2		i/m and s/c injection of vaccines	Injecting 0,5 to 5,0 ml		Single

Continued...

9.3.1 AUTOMATIC VACCINATORS FOR INJECTION Continued...

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
11661	OVIJECTOR and AVIJECTOR SPARE KITS		Repairs of Ovijector/Avijector			Single
01206 01208	PULLET INJECTION HOLDER		For use in conjunction with sterilized cartridge for sterile application of vaccines	Fixed setting 0.1 ml 0.2 ml 0.3 ml 0.5 ml 1.0 ml		

PRODUCT GUIDE

01046	STEREO INJECTION HOLDER		For use in conjunction with sterilized cartridge for sterile application of vaccines	For application of two separate vaccines simultaneously 0.1 - 0.5ml 0.5 - 0.5ml		
11654	PRIMA VACCINATOR		i/m and s/c injection of vaccines	1ml dose		

9.3.2 STAINLESS STEEL NEEDLES

CODE	TRADE NAME	SIZE	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
17067	STAINLESS STEEL NEEDLES	18g x 1/2 "		Re-usable needles		12` s
21018	STAINLESS STEEL NEEDLES	20g x 1/2 "		Re-usable needles		12` s
16071	STAINLESS STEEL NEEDLES	20g x 3/8 "		Re-usable needles		12` s
01003	STAINLESS STEEL NEEDLES	22g x 1/4 "		Re-usable needles		12` s
01002	STAINLESS STEEL NEEDLES	22g x 1/2 "		Re-usable needles		12` s
21019	STAINLESS STEEL NEEDLES	22g x 3/8 "		Re-usable needles		12` s

9.3.3 DISPOSABLE NEEDLES

CODE	TRADE NAME	SIZE	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
14037	AIRTITE NEEDLES	18g x 1/2"		Disposable needles		100` s
14038	AIRTITE NEEDLES	18g x 1 1/2"		Disposable needles		100` s
14039	AIRTITE NEEDLES	19g x 1 "		Disposable needles		100` s
14024	AIRTITE NEEDLES	20g x 1"		Disposable needles		100` s
00006	AIRTITE NEEDLES	20g x 1/4"		Disposable needles		100` s
01004	AIRTITE NEEDLES	20g x 1/2"		Disposable needles		100` s
01015	AIRTITE NEEDLES	20g x 3/4"		Disposable needles		100` s
14029	AIRTITE NEEDLES	21g x 5/8"		Disposable needles		100` s

9.3.4 DISPOSABLE SYRINGES

CODE	TRADE NAME	SIZE	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
14002	BASIC SYRINGE	2 ml				Single
14005	BASIC SYRINGE	5 ml				Single
14010	BASIC SYRINGE	10 ml				Single

9.3.5 SPRAY VACCINATION EQUIPMENT

PRODUCT GUIDE

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
22239	ATOMIST 1026B	Atomising spray	Spraying of vaccine with a very small droplet (22-46 micron)			Single
31000	HERBI-4 SPRAYER Complete	Atomising disc sprayer	Spraying of vaccine with a large droplet (150-250 micron)			Single
00077 00099 18135	SOLO KNAPSACK SPRAYERS	Hydraulic sprayer	Spraying of vaccine with a very large droplet (100-1000 micron)			5 litre 15 litre 20 litre
18136	SOLO MISTBLOWER 423		Spraying of vaccine with a small droplet			Single
18133	STIHL Fogger SR 340		Spraying of vaccine with a small droplet (50 - 133 micron)			Single
00054	TURBAIR ELECTROFAN 240V	Atomising disc sprayer	Spraying of vaccine with a small droplet (60 - 90 micron)			Single
11630	TURBAIR 12 VOLT WITH BATTERY AND CHARGER	Atomising disc sprayer	Spraying of vaccine with a small droplet (60 - 90 micron)			Single
11618	ULVA FAN PLUS BATTERY PACK & CHARGER		Spraying of vaccine with a small droplet (60 - 90 micron)			Single
01026	TURBAIR 12V WITHOUT ACCESSORIES		Spraying of vaccine with a small droplet (60 - 90 micron)			Single
11617	ULVA PLUS		Spraying of vaccine with a large droplet (150-250 micron)			Single

10. VACCINES.**10.1 LIVE VACCINES**

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
09080	TAD AE VAC G1524	AE Virus Strain 1143 Calnek	Vaccination of pullets against Avian encephalomyelitis	1 dose per bird between 10th week on until 4 weeks before point of lay. Water or eyedrop		1000 doses

PRODUCT GUIDE

09041	TAD DILUENT		For administering live vaccine for eye-drop application.	34 ml / 1000 doses		34ml
09020 09021 09022	TAD GUMBORO VAC G1182	Strain Gumboro CU-1M of chicken embryo origin	For vaccination of poultry against Gumboro Disease	1 Dose per bird. Water		1000 doses 2500 doses 5000 doses
09019 09018	TAD GUMBORO VAC FORTE G1889	Strain Gumboro LC-75 of chicken embryo origin	For vaccination of poultry against Gumboro Disease	1 Dose per bird. Water		1000 doses 5000 doses
09030 09031 09032	TAD IB VAC1 (H120) G1209	Strain Infectious Bronchitis Mass H120 of chicken embryo origin	For vaccination of poultry against Infectious Bronchitis	1 Dose per bird. Eyedrop,water or spray		1000 doses 2500 doses 5000 doses
09003 09004 09005	TAD IB/ND VAC HITCHNER B1 G1634	Combination of Strains IBV H120 and Clone purified NDV Hitchner BI	For initial vaccination of poultry against IB and ND.	1 Dose per bird. Eyedrop,water or spray		1000 doses 2500 doses 5000 doses
09013 09014	TAD IB/ND VAC LA SOTA G2298	Combination of Strains IBV H120 and Clone purified NDV La Sota	For vaccination of poultry against IB and ND from 3 Weeks onwards	1 Dose per bird. Eyedrop,water or spray		1000 doses 2500 doses
09000 09001 09012	TAD ND VAC HITCHNER B1 G1389	Clone purified NDV Hitchner B1 Strain	For initial vaccination of poultry against ND.	1 Dose per bird. Eyedrop,water or spray		1000 doses 2500 doses 5000 doses
09010 09011 09012	TAD ND VAC CLONED LA SOTA G1207	Clone purified NDV La Sota Strain	For vaccination of poultry against ND.	1 Dose per bird. Eyedrop,water or spray		1000 doses 2500 doses 5000 doses
09040 09040 09042	TAD ILT VAC G1183	Proven strain of embryo adapted laryngotracheitis vaccine Strain connecticut	For vaccination of poultry against Infectious Laryngotracheitis	1 Dose per bird. Eyedrop or water		1000 doses + diluents 1000 doses 2500 doses
09074	TAD MAREK BIVAC G2428	Cell associated vaccine containing Rispens strain CVI 988 of CHV and the LC 71 strain (=FC126) THV	For vaccination of day-old poultry against Marek`s Disease.	1 Dose per bird. i/m or s/c		1000 doses + 200 ml diluent

Continued...

10.1 LIVE VACCINES Continued...

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
09083	TAD MAREK VAC FORTE G1890	Frozen cell associated vaccine Strain Rispens CVI 988 of CHV	For vaccination of day-old poultry against Marek`s Disease.	1 Dose per bird. i/m or s/c		1000 doses + 200 ml diluent

PRODUCT GUIDE

09085	TAD MAREK VAC LYO G1450	Turkey-herpes virus (HVT) LC71 strain (=FC 126)	For vaccination of day-old poultry against Marek`s Disease.	1 Dose per bird. i/m or s/c		1000 doses + 200 ml diluent
09051	TAD POX VAC G1435	Pox virus tissue culture strain HP-B	For vaccination of poultry against Fowl Pox in it`s diphtheritic form.	1 Dose per bird. Intracutaneous (wing web method)		1000 doses + diluent
09060	TAD REO VAC 1 G1185	Reo virus tissue culture strain U Conn 1133	For vaccination of poultry against Viral Arthritis and Tenosynovitis.	1 Dose per bird. i/m or s/c		1000 doses + 200 ml diluent
09122	TAD SALMONELLA VAC E G2740	Live attenuated <i>Salmonella</i> Enteritidis bacteria	For immunisation of breeder & layer replace. fowls during rear. & to reduce shed. of S.E. field strains.	1 Dose per bird. s/c or via drinking water		1000 doses
09027	MLT ILT	Laryngotracheitis Modified ILT live virus vaccine of embryo origin	Laryngotracheitis	1 dose per bird, eyedrop or spray birds 3 weeks or older.		1000 doses
09077	TAD THYMOVAC G2427	CIAV Strain CUX-1	For vaccination of breeders in rearing against CAV.	Drinking water		1000 doses
09162	FOWL TYPHOID OBP G107	Live attenuated <i>Salmonella</i> gallinarium	Fowl typhoid	1 ml s/c at 2 months	Meat 7 days	100 ml (100 doses)
00166 00167	PARACOX G1994	Eimeria strains: acervulina HP, brunetti HP, maxima CP, maxima MFP, mitis HP, necatrix HP, praecox HP, tenella HP.	For vaccination of breeders in rearing against Coccidiosis.	Drinking water between day 5 and 9 of age		1000 doses 5000 doses
00331 00332	PARACOX-5 G2817	Eimeria strains: acervulina HP, maxima CP, maxima MFP, mitis HP, tenella HP,	For vaccination of broilers against Coccidiosis.	Drinking water between day 1 of age		1000 doses 5000 doses

10.2 INACTIVATED VACCINES

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE / APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
------	------------	-------------------	------------	--------------------------------	------------------------------	------

PRODUCT GUIDE

09079	TALOVAC 101 IC G1529	Strain W Serotype A1 and Modesto Serotype C1 (in AI OH)	Vaccination of breeders & Pullets against Infectious Coryza	0,5 ml / bird		500 ml (1000 doses)
09053	TALOVAC 102 IB G1527	Strain Massachussetts 41	Vaccination of breeders & Pullets against Infectious Bronchitis	0,5 ml / bird		500 ml (1000 doses)
09086	TALOVAC 103 IBD G1453	Clone Purified Strain of IBD Strain CU-1M	Vaccination of breeders & Pullets against Infectious Bursal Disease	0,5 ml / bird		500 ml (1000 doses)
09052	TALOVAC 104 MG G1451	Strain S 6 of Mycoplasma Gallisepticum	Vaccination of breeders & Pullets against Mg	0,5 ml / bird		500 ml (1000 doses)
09078	TALOVAC 105 ND G1525	Clone Purified Strain of ND La Sota	Vaccination of breeders & Pullets against Newcastle Disease	0,5 ml / bird		500 ml (1000 doses)
09136	TALOVAC 105 ND BROILER G1637	ND La Sota Strain	Vaccination of breeders, pullets & broilers against ND.	0.1 ml /broilers 0,5 ml / breeder or pullet		500 ml
	TALOVAC 106 -2 REO G1452	Reo Strain 1133 and S1733	Booster vaccination of breeders against Reo	0,5 ml / bird		500 ml (1000 doses)
09066	TALOVAC 107 EDS G1636	Strain 127 Mc Ferran of adenovirus	Vaccination Pullets - Egg Drop Syndrome (EDS76)	0,5 ml / bird		500 ml (1000 doses)
09104	TALOVAC 108 G2579	Serotypes A1,A3 andA4 of Pasteurella Multocida	Vaccination of breeders & Pullets against Pasteurellosis	0,5 ml / bird		500 ml (1000 doses)
09102	TALOVAC 109 SE G1891	Inactivated Salmonella Enteritidis Bacteria	Vaccination of breeders & Pullets against SE.	0,5 ml / bird		500 ml (1000 doses)
09094	TALOVAC 204 ND/EDS G1639	Combination of NDV and Adenovirus strain -127 McFerran	Booster vacc. of breeders /pullets against ND and EDS	0,5 ml / bird		500 ml (1000 doses)

Continued...

10.2 INACTIVATED VACCINES Continued...

PRODUCT GUIDE

CODE	TRADE NAME	ACTIVE INGREDIENT	INDICATION	RECOMMENDED DOSE /APPLICATION	WITHDRAWAL PERIOD C/I S/E	PACK
09097	TALOVAC 301 IB/ND/IBD G1449	Combination of IB Mass 41, NDV and IBDV strain Winterfield 2512	Booster vacc. of breeders /pullets against IB, ND and IBD	0,5 ml / bird		500 ml (1000 doses)
09093	TALOVAC 303 IB/ND/EDS G1635	Combination of IB Mass 41, NDV and Adenovirus strain - 127 McFerran	Booster vacc. of breeders /pullets against IB, ND and EDS	0,5 ml / bird		500 ml (1000 doses)
05058	TALOVAC 222	Baxendale strain of IBD virus and La Sota strain of NCD virus	Vaccination of breeders & laying hens against IBD/ND	0,5 ml / bird	21 days	500 ml (1000 doses)
09142	TALOVAC 441 ND/IB/IBD/REO G2776	Combination of IB Mass ND La Sota, IBD, REO (S1133) & (1733) strains	Booster vacc. of layer replace fowls during to late rear. period.	0,5 ml / bird between 12 and 20 wks of life	42 days	500 ml (1000 doses)
09081	CORYZA VAC O.P G1362	Serotypes A1 and Tongaat in oil emulsion	Vaccination of breeders & Pullets against Infectious Coryza	0,5 ml / bird		500 ml (1000 doses)
09107	LOMAVAC FOR OSTRICHES G2168	Clone Purified Strain of ND La Sota	Vaccination of Ostriches against Newcastle Disease Virus	Dose depending on age		250 ml